## **HP PageWide XL 5000 Printer series**



Powerful, efficient monochrome and color production with up to 30% savings in total production costs<sup>1</sup>



#### **LEAD**

#### Fast delivery times in monochrome and color

- Up to 14 D/A1 pages/minute print speed, quick 30-second first page out
- Deliver mixed monochrome and color sets in 50% of the time with a consolidated workflow<sup>2</sup>
- Start printing in 50% of the time<sup>3</sup>—an ultra-fast processor, native PDF management, HP SmartStream software
- Free up the operator—production stacker/online folder, 4 up to 4 rolls, dual ink supplies with auto-switch

#### **GROW**

#### Fast color, excellent document quality

- Generate new business growth—print GIS map, point-of-sale (POS) poster applications at breakthrough speeds
- Set a new technical document standard with crisp lines, fine detail, and smooth grayscales that beat LED5
- HP PageWide XL pigment ink for dark blacks, vivid colors, moisture/ fade resistance—even on uncoated bond6
- Print on a wide range of media up to 40 inches/101.6 cm—covering ISO/US technical and offset standards7

### For more information, please visit hp.com/go/pagewidexl/5000series













#### SAVE

#### Cut total production costs up to 30%1

- Print monochrome and color technical documents at the same or lower cost than comparable LED printers8
- Do it all with one space-saving device for both monochrome and color, or opt for the MFP to print/scan/copy
- Cut job preparation and finishing costs up to 50%<sup>2</sup>
- See up to 5 times lower energy consumption than comparable LED printers9

#### **Eco Highlights**

- Save paper with automatic print settings and image nesting
- ENERGY STAR® certified and EPEAT Silver registered
- Free, convenient HP ink cartridge recycling<sup>2</sup> FSC®-certified papers,<sup>3</sup> range of recyclable HP media





- EPEAT registered where applicable and/or supported. See <u>epeat.net</u> for registration status and rating by country. Program availability varies. Please check <u>hp.com/recycle</u> for details. BMG trademark license code FSC\*-C115319, see <u>fsc.org</u>. HP trademark license code FSC\*-C017543, see <u>fsc.org</u>. Not all
- FSC®-certified products are available in all regions. For information about HP large format printing materials.

Please recycle large-format printing hardware and printing supplies Find out how at our website



Beat record delivery with consolidated workflows—produce mixed monochrome and color sets in 50% of the time.<sup>2</sup> Achieve up to 30% savings in total production costs.<sup>1</sup> Save space and trim workflow cost with a single device for monochrome and color, or print/scan/copy with a multifunction printer.

## **HP PageWide Technology**

The HP PageWide XL 5000 Printer series includes a stationary 40-inch (101.6-cm) printbar that spans the whole printing width. As paper moves under the printbar, the entire page is printed in one pass, enabling very high printing speeds.

## **HP PageWide XL pigment ink for HP PageWide XL printers**

HP PageWide XL pigment ink is specially designed to provide reliable and dependable operation with HP PageWide XL printers and produce high-quality output:

- Dark blacks and vivid colors on a range of media including uncoated bond papers
- Moisture- and fade-resistant prints<sup>6</sup>

## Proven technology for reliable operation

Designed for mid-volume production, the HP PageWide XL 5000 Printer series is based on proven HP PageWide Technology, currently powering HP PageWide Web Presses—producing 4 billion impressions monthly—and HP X series business printers.

HP 841 PageWide XL Printheads provide reliable and long-life operation, with an average life per printhead of 32 liters.


## Save time and reduce complexity by consolidating your monochrome and color workflows

Get away from the complex and lengthy process in which color and monochrome pages must be manually separated by an operator, who must then send color and monochrome to two different printers, and then finally manually collate the color and monochrome pages together.

Now you can consolidate your workflow by delivering mixed monochrome and color sets that help to contribute to up to 30% savings in total production costs.<sup>1</sup>



8 HP PageWide XL ink cartridges (2 x 400-ml per color with auto-switch)



## Print fast, deliver faster

- 1. Using HP SmartStream Preflight Manager, jobs can be prepared in 50% of the time<sup>3</sup>
- **2.** With an ultra-fast processor and the embedded Adobe PDF Print Engine 3,<sup>10</sup> HP PageWide XL printers are designed for quick processing, including the most complex jobs
- 3. Print up to 14 D/A1 pages/minute in monochrome and color
- **4.** Reduce the wait for short jobs with a quick, 30-second first page out

## Set a new quality standard for technical documents

HP 841 PageWide XL Printheads, working with HP PageWide XL pigment ink, are designed to produce durable and high-quality output with dark blacks and vivid colors.

Accurate and reliable dot placement results in crisp lines, fine detail, and smooth grayscales. HP PageWide XL printers do not apply heat to the paper as part of the printing process, enabling very high levels of length accuracy (±0.1%).

HP PageWide XL Folder<sup>4</sup> or the HP PageWide XL High-capacity Stacker for second output path.

**5. High-capacity** output solutions specially designed to keep up with HP PageWide XL print

## Save space and trim workflow cost with a single device for monochrome and color, or print/scan/copy with a multifunction printer



speeds (high-capacity stacker and online folder).4

### Technical specifications

General	Description	Large-format color MFP or printer
	Technology	HP PageWide Technology
	Applications	Line drawings, Maps, Orthophotos, Posters
	Ink types	Pigment-based (cyan, magenta, yellow, black)
	Ink cartridges	8 (2x 400-ml per color) with auto-switch 8x HP 841 PageWide XL Printheads
	Printheads Average printhead life	32 liters
	Printhead warranty	10 liters or 12 months from installation
	Print resolution	1200 x 1200 dpi
	Minimum line width	0.02 mm (0.0008 in) (HP-GL/2 addressable)
	Guaranteed minimum	0.085 mm (0.0033 in) (ISO/IEC 13660:2001(E)) <sup>11</sup>
	line width	
	Line accuracy	+/- 0.1%12
Print speed	Maximum print speed	9 m/min (27.8 ft/min)
	A1/Arch D/ANSI D (long edge first)	14 pages/min, 600 pages/h
	AO/Arch E/ANSI E	7 pages/min, 300 pages/h
	(short edge first)	/ pages/IIIII, 300 pages/II
	ISO B1 (long edge first)	10 pages/min, 500 pages/h
	Warm-up time	No warm up
	First page out	30 sec (from Ready mode)
Media	Media rolls	2 rolls default with auto-switching, expandable to 4 rolls
	Roll width	279 to 1016 mm (11 to 40 in)
	Roll length	Up to 200 m (650 ft)
	Roll diameter	Up to 177 mm (7 in)
	Roll core diameter	7.6 cm (3 in)
	Printable width	Up to 1000 mm (39.4 in) Up to 90 m (295 ft) for CAD and 30 m (98 ft) for poster
	Printable length <sup>13</sup>	
	Media weight Media thickness	70 to 200 g/m² (19 to 53 lb) Up to 0.4 mm (15.7 mil)
	Media types	Bond and recycled papers, poster papers, polypropylene, tyvel
	Media output (standard)	Basket
	Media output (optional)	High-capacity stacker, online folder, 4 top stacker 14
ligh-capacity	Maximum page size	102 x 122 cm (40 x 48 in) <sup>15</sup>
stacker	Capacity	Up to 500 pages
	Media weight	70 to 200 g/m² (19 to 53 lb)
	Dimensions	101 x 125 x 108 cm (55.6 x 49.1 x 42.6 in)
	Weight	140 kg (308 lb)
Online folder⁴	Page width	28 to 91.4 cm (11 to 36 in)
	Page length	Cross fold: 2.5 m (8.2 ft)
		Fan fold: 6 m (19.7 ft) (standard), unlimited (optional with HP PageWide XL Folder Upgrade Kit for Long Plots <sup>16</sup> )
	Media weight for folding	75 to 90 g/m² (20 to 24 lb)
	Media weight for stacking	75 to 200 g/m² (20 to 24 tb)
	Capacity	Up to 150 (A0)
	Dimensions	1626 x 1245 x 1842 mm (64 x 49 x 72.5 in)
		(1626 x 1245 x 2150 mm with Tab applicator (64 x 49 x 84.6 in))
	Weight	310 kg (683 lb), (350 kg (772 lb) with Tab applicator)
	Tab applicator	Available with HP PageWide XL Folder with Tab applicator only
Scanner	Description	36-in (91-cm) CIS scanner
	Speed	Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi
	Optical resolution	Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi
	Scan width	1200 dpi Up to 914 mm (36 in)
	Original thickness	Up to 0.26 mm (0.01 in)
	Maximum copy length	9512 mm (374.48 in)
	Maximum scan length	18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi),
		8000 mm (314.96 in) (JPEG), 5000 mm (196.85 in) (PDF)
	Scan format (standard)	JPEG, TIFF, PDF 1.7, multi-page PDF 1.7
	Scan features	Preview with cropping, scan quicksets, batch scanning
	Scan destination	USB, network folder (SMB), scan to email, scan to HP
Embedded controller	Drococcor	SmartStream software Intel Core i3
Linveauea Controller	Processor Memory	8 GB DDR3
	Hard drive	1x 500 GB HDD, self-encrypted with AES-256
	Print languages (standard)	
	(uniquages (standalu)	TIFF, JPEG
	Remote management	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin
Connectivity	Interfaces	TCP/IP, BootP/DHCP, USB 2.0 host (certified)
•	Printing paths	HP SmartStream software (optional)
		HP Universal Print Driver (HP-GL/2 and PS)
Jser interface	User interface	HP PageWide XL print drivers (PDF, HP-GL/2, and PS) 8-inch capacitive touchscreen

- Production costs savings based on an HP PageWide XL. 5000 Printer compared with a combination of a mid-volume monochrome LED printer and a mid-volume color production printer (both under \$40,000 USD) as of April, 2015. Production costs consist of supplies and service costs, printer energy costs, and operator costs. For testing criteria, see hp.com/go/bagewidexiclaims.

  Based on internal HP testing on the HP PageWide XL 5000 Printer compared to preparing and printing the job on two different printers (one comparable monochrome mid-volume LED printer for the monochrome pages and one color printer for the color pages). For testing criteria, see hp.com/go/pagewidexiclaims.

  Using HP SmrtStream software compared with using equivalent software programs. For testing criteria, see hp.com/go/pagewidexiclaims.

- The online folder is an optional accessory. For output produced with HP PageWide XL printers and LED printers from different manufacturers and that represent greater than 50% of the annual shipments of LED printers in North America as of 2014 according to IDC. For testing criteria, see hp.com/go/pagewidexlclaims.
   Compared to prints produced with HP 970/971/980 inks that are fade and moisture resistant per ISO 11798 Permanence and Durability Methods certification. For testing criteria, see hp.com/go/pagewidexlclaims.
   ISO/US technical and offset standards include American ANSI and Architectural page size standards, do ISO 8 offset page size standard.

- Based on supplies and service costs. Monochrome technical document printing costs for comparable mid-volume LED printers based on printers for large-format printing of technical documents at speeds between 8 and 13 D/A1 per minute as of April, 2015 which represent more than 80% of the share of mid-volume LED printers in the US and Europe in 2014 according to 1016. Color technical document printing costs for comparable mid-volume color printers based on printers

Dimensions	Printer	1960 x 800 x 1303 mm (77.2 x 31.5 x 51.3 in)
	Shipping	2180 x 1068 x 1764 mm (86.8 x 42.1 x 69.5 in)
Weight	Printer	430 kg (948 lb)
	Shipping	521 kg (1148 lb)
Environmental	Operating temperature	5 to 40°C (41 to 104°F)
	Recommended temperature	15 to 35°C (59 to 95°F)
	Operating humidity	20 to 80% RH, depending on media type
Acoustic	Sound pressure	53 dB(A) (printing), 35 dB(A) (ready), <24 dB(A) (sleep)
	Sound power	7.1 B(A) (printing), 5.2 B(A) (ready), 4.2 B(A) (sleep)
Power	Consumption	0.46 kW (typical); 0.8 kW (max printing); 108.4 watts (ready); < 1 watts (< 4.6 watts with embedded Digital Front End) (sleep)
	Requirements	Input voltage (auto ranging) 100-127/200-240 ± 10% VAC, 50/60 ±3 Hz, 10/5 A
Certification	Safety	IEC 60950-1+A1+A2 compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 compliant); Russia, Belarus, and Kazakhstan (EAC)
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)
	Environmental	ENERGY STAR, EPEAT Silver, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukraine.
Warranty	90 days	

## **Ordering information**

Product	CZ310B	HP PageWide XL 5000 40-in Printer with High-capacity Stacker and PostScript/PDF
	CZ310C	HP PageWide XL 5000 40-in Printer with Top Stacker and PostScript/PD
	CZ311B	HP PageWide XL 5000 40-in Multifunction Printer with High-capacity Stacker and PostScript/PDF
	CZ311C	HP PageWide XL 5000 40-in Multifunction Printer with Top Stacker and PostScript/PDF
Accessories	CZ318A	HP PageWide XL Drawer
	CZ319A	HP PageWide XL High-capacity Stacker
	CZ320A	HP PageWide XL Top Stacker <sup>14</sup>
	G6H50A	HP DesignJet SD Pro Scanner
	G6H51A	HP DesignJet HD Pro Scanner
	K5H75A	HP PageWide XL Folder
	L3J69AAE	HP SmartStream Preflight Manager
	L3J74AAE	HP SmartStream Print Controller for HP PageWide XL 5000 Printer series
	L3M58A	HP PageWide XL Folder with Tab Applicator
	M0V04A	HP PageWide XL Folder Upgrade Kit for Long Plots16
Original HP PageWide XL printheads and	C1Q19A	HP 841 PageWide XL Printhead
	F9J47A	HP 841 PageWide XL Cleaning Container
consumables	F9J48A	HP 841 PageWide XL Maintenance Cartridge
Original HP	F9J82A	HP 848A 400-ml Black PageWide XL Ink Cartridge
PageWide XL ink cartridges	F9J83A	HP 848A 400-ml Cyan PageWide XL Ink Cartridge
	F9J84A	HP 848A 400-ml Magenta PageWide XL Ink Cartridge
	F9J85A	HP 848A 400-ml Yellow PageWide XL Ink Cartridge
Original HP large format printing materials	L4L08A	HP Universal Bond Paper, 3-in Core (FSC® certified) <sup>17</sup> 🛟 914 mm x 152.4 m (36 in x 500 ft)
	L5P98A	HP Production Matte Poster Paper, 3-in Core (FSC® certified) <sup>17</sup>
	L5Q03A	HP Production Satin Poster Paper, 3-in Core (FSC® certified) <sup>17</sup>
	L5C80A	HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified) 17 \$\frac{1}{2}\$ 914 mm x 91.4 m (36 in x 300 ft)
	L6B19A	HP Matte Polypropylene, 3-in Core 1016 mm x 45.7 m (40 in x 150 ft)

Enjoy best-in-class support services, knowing HP works with HP PageWide XL Channel Partners to enable them to be properly trained, certified, and equipped to meet your needs. With efficient support and innovative support features, such as printer self-monitoring, predefined resolution paths, and intuitive maintenance wizards, you can work with confidence every day. For more information, please visit hp.com/go/pagewidexlservice.

HP Financial Services can help you acquire an HP PageWide XL printing solution and accelerate the benefits to your business. Our solutions can help you increase your flexibility by preserving cash, freeing up budgets with a monthly payment structure, and offering an easy option to upgrade to the latest model when your business is ready. For more information, please visit hp.com/

- capable of printing 4 D/A1 pages per minute or more and under \$50,000 USD for large-format printing of technical documents as of April, 2015 and representing more than 80% of the market in the US and Europe in 2014 according to IDC. For testing criteria, see hp.com/go/pagewidexlclaims.

  Conclusions based on internal HP testing for a specific use scenario. Comparable printers using LED technology based on LED printers capable of printing 8 to 13 D/A1 pages per minute and which represent more than 80% of the share of mid-volume LED printers in the US and Europe according to IDC as of April, 2015. For testing criteria, see hp.com/go/pagewidexlclaims.

  \*Adobe PDF print Engine 3 is the next-generation rendering platform, optimized for end-to-end PDF workflows. Adobe PDF Print Engine 3 combines performance optimizations with a new scalability framework to power high-speed digital presses, large-format printers, and CTP platesetters. Adobe PDF Print Engine 3 is the fastest rendering platform for reliable reproduction of complex, graphically rich content. To learn more, visit adobe.com/products/pdf/printengle.

  Measured on HP Universal Bond Pager.

  \*/-0.1% of the specified vector length or \*/-0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E
- 12 +/-0.1% of the specified vector length or +/-0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and Original HP inks.
- <sup>13</sup> For longer plots (up to 656 ft), image quality might be affected.
  <sup>14</sup> Available as of January 2016.
- 15 Long plots with reduced capacity.
- K available as of November 2015.
   BMG trademark license code FSC®-C115319, see fsc.org. HP trademark license code FSC®-C017543, see fsc.org. Not all FSC®-certified products are available in all regions. For information about HP large format printing materials, please visit HPLFMedia.com.



# บริษัท บีพีเอส ยูในเต็ด จำกัด

213 หมู่ 1 ถนนสุขสวัสดิ์ ตำบลปากคลองบางปลากด อำเภอพระสมุทรเจดีย์ สมุทรปราการ 10290 T. 0-2816-3888, 0-2816-3999, 0-91818-2988-9 F. 0-2816-3838-9 www.bpsunited.com, www.facebook.com/bpsunited

